

Vaccination of Pets: Why Prevention Is Better Than Treatment

Priyanka Malakar and Kanchan Singh
doi.org/10.5281/VeterinaryToday.23108759

Abstract

Vaccination is one of the most important preventive-health measures in veterinary medicine, helping protect pets from serious infectious diseases and reducing disease transmission within animal populations. This article discusses the importance of vaccination in dogs and cats, including the role of core and lifestyle-based vaccines, vaccination of puppies and kittens, booster doses and individual risk assessment. It explains how maternal antibodies can influence early vaccination and highlights rabies vaccination as an important intervention for both animal and public health. The article also addresses vaccine safety, vaccination of sick animals, common misconceptions and responsible pet ownership. In addition, it highlights emerging developments in veterinary vaccinology and the role of vaccination within the One Health approach. Appropriate vaccination, combined with good hygiene, nutrition, parasite control and responsible animal management, remains essential for maintaining healthy pets and safer communities.

Keywords: Pet vaccination; Dogs; Cats; Veterinary vaccines; Core vaccines; Rabies; Booster vaccination; Preventive healthcare; One Health; Responsible pet ownership

Pets are no longer considered merely animals kept at home. Dogs and cats have become important members of many families, providing companionship, emotional support and joy. With this close relationship comes an important responsibility: protecting pets from preventable diseases through appropriate vaccination.

Vaccination is one of the most effective tools available in veterinary medicine. It prepares the animal's immune system to recognize specific infectious agents before natural exposure occurs. A well-designed vaccination programme can protect individual animals, reduce disease transmission within animal populations and, in the case of zoonotic diseases such as rabies, also protect people.

What is vaccination?

Vaccination is a process through which an animal's immune system is exposed to an antigen in a controlled manner. This allows the immune system to develop an immunological memory without causing the disease in the same way as natural infection.

When the vaccinated animal encounters the actual infectious agent later, its immune system can respond more rapidly and effectively.

Vaccines may contain different forms of antigens, including modified-live organisms, inactivated organisms, purified components or newer molecularly designed vaccine platforms. The choice depends on the disease, vaccine product, animal species, age and health status.

Why do pets need vaccines?

Dogs and cats can encounter infectious organisms through contact with other animals, contaminated environments, bodily secretions or vectors. Some diseases can cause severe illness or death, while others can spread rapidly among susceptible animals.

Vaccination therefore serves two purposes.

First, it provides individual protection. A vaccinated animal is generally better prepared to fight the targeted infection.

Second, vaccination can contribute to population protection. When a sufficiently high proportion of susceptible animals is protected, transmission of certain infectious diseases can be reduced.

This population-level effect is particularly important for diseases such as rabies, where vaccination of dogs is a major component of preventing human infection.

Core vaccines and lifestyle-based vaccination

Not every pet has exactly the same vaccination requirements.

Veterinary vaccination programmes generally distinguish between core vaccines, which protect against important diseases to which animals may be broadly exposed or for which the consequences can be severe, and non-core vaccines, which may be recommended according to geographical location, lifestyle and individual risk.

For dogs, core vaccination commonly includes protection against diseases such as canine distemper, canine adenovirus and canine parvovirus, along with rabies where required or recommended.

For cats, core vaccination commonly includes protection against feline panleukopenia virus, feline herpesvirus and feline calicivirus, with rabies vaccination considered according to local disease risk and regulations.

The exact vaccine products and schedules should always be determined by a veterinarian because recommendations vary with the animal's age, health, previous vaccination history, exposure risk and local

regulations.

Puppies and kittens: why early vaccination matters

Young puppies and kittens are particularly vulnerable to infectious diseases because their immune systems are still developing.

Newborn animals receive antibodies from their mothers, primarily through colostrum. These maternal antibodies provide temporary protection but can also interfere with vaccination. As maternal antibody levels decline, there is a period during which the young animal may become susceptible to infection.

For this reason, puppy and kitten vaccination is usually given as a series of doses, rather than relying on a single injection.

The veterinarian determines the appropriate timing based on the animal's age, maternal antibody considerations, vaccine type and local guidelines.

Vaccination is not only for young animals

A common misconception is that vaccination is necessary only during puppyhood or kittenhood.

In reality, immunity needs to be maintained throughout an animal's life. After the initial vaccination series, booster vaccinations may be recommended at appropriate intervals depending on the vaccine, disease risk and current veterinary guidelines. Modern vaccination recommendations increasingly emphasize individual risk assessment rather than giving every animal exactly the same vaccination programme.

Rabies: a vaccine that protects two species

Rabies deserves special attention because it is a deadly zoonotic disease.

Dogs are responsible for the overwhelming majority of human rabies transmission globally. Vaccinating dogs therefore has benefits extending beyond veterinary health, it is an important public-health intervention.

For pet owners, keeping a dog or cat appropriately vaccinated against rabies can reduce the risk associated with potential exposure. Local laws regarding rabies

vaccination should also be followed.

However, vaccination does not mean that an animal bite can be ignored. If a person is bitten or scratched by a potentially rabid animal, the wound should be washed immediately with soap and running water and medical advice should be sought promptly.

Are vaccines safe?

Vaccines used in veterinary medicine undergo safety and quality evaluation. Most vaccinated animals experience no serious problems.

Some animals may develop mild and temporary effects such as soreness at the injection site, tiredness or a mild fever. These effects generally resolve without treatment.

Serious adverse reactions are uncommon but can occur. Signs such as facial swelling, difficulty breathing, collapse or severe vomiting shortly after vaccination require urgent veterinary attention.

This is one reason vaccination should be performed under veterinary supervision rather than being treated as a routine injection without consideration of the animal's health status.

Can a sick pet be vaccinated?

Vaccination decisions should take the animal's health into account.

A veterinarian may postpone vaccination if an animal is significantly unwell, depending on the circumstances. Before vaccination, the veterinarian may assess the animal's history, age, health, previous vaccine reactions and potential exposure risks.

This individualized approach helps ensure that vaccination is appropriate for that particular animal.

Common myths about pet vaccination

Myth 1: "My pet stays indoors, so vaccines are unnecessary."

Indoor animals can still encounter infectious agents through other animals, people, contaminated objects or veterinary visits. Their risk may be different from that of outdoor animals, but it is not necessarily zero.

Myth 2: "Vaccines cause the disease they are supposed to prevent."

Different vaccine technologies work in

different ways. Some vaccines contain modified organisms, while others use inactivated organisms or specific components. Vaccination is designed to stimulate immunity without producing the disease in the same way as natural infection.

Myth 3: "One vaccination protects my pet forever."

Protection varies according to the disease and vaccine. Some vaccines require booster doses to maintain immunity.

Myth 4: "Healthy-looking animals do not need vaccination."

An animal can appear healthy while still being susceptible to an infectious disease. Vaccination is primarily a preventive measure rather than a treatment given after disease develops.

Vaccination and responsible pet ownership

Responsible pet ownership extends beyond feeding and grooming. It includes preventive healthcare.

Pet owners should maintain vaccination records, follow veterinary recommendations, control parasites, provide appropriate nutrition and seek veterinary attention when an animal becomes ill.

Vaccination records can also be important when pets travel, enter boarding facilities, participate in group activities or come into contact with other animals.

The future of veterinary vaccination

Veterinary vaccinology is continuing to evolve. Researchers are developing new vaccine technologies designed to improve effectiveness, safety, duration of protection and ease of administration.

Advances in molecular biology, genomics and immunology are helping scientists understand how pathogens interact with the immune system. These developments could contribute to improved vaccines for both existing and emerging infectious diseases.

The concept of One Health also highlights the broader importance of veterinary vaccination. Preventing infectious diseases in animals can reduce disease risks for people and contribute to healthier communities.

Prevention is an investment

Treating an established infectious disease can be expensive, stressful and sometimes unsuccessful. Vaccination, by contrast, provides an opportunity to prepare the immune system before exposure occurs.

No vaccine provides perfect protection against every possible exposure, and vaccination should always be combined with good hygiene, appropriate nutrition, parasite control and responsible animal management.

Nevertheless, vaccination remains one of the most important preventive-health measures available to pet owners.

A simple vaccination appointment can therefore represent much more than a routine veterinary visit, it can be an investment in the health and well-being of the pet, other animals and the human family living alongside it.

Healthy pets, responsible owners and informed veterinary care together create a safer environment for everyone.

References

- Day MJ, Horzinek MC, Schultz RD, Squires RA. WSAVA Guidelines for the vaccination of dogs and cats. *Journal of Small Animal Practice*. 2016;57(1):E1–E45. doi:10.1111/jsap.12431.
- Scherk MA, Ford RB, Gaskell RM, et al. 2013 AAEP feline vaccination advisory panel report. *Journal of Feline Medicine and Surgery*. 2013;15(9):785–808. doi:10.1177/1098612X13500429.
- Ellis JA, Krakowka S, Dayton A, Konold T. Viral evolution and the future of canine distemper virus: a neglected pathogen? *Veterinary Medicine and Science*. 2017;3(2):60–70. doi:10.1002/vms3.56.
- Decaro N, Buonavoglia C. Canine parvovirus—A review of epidemiological and diagnostic aspects, with emphasis on type 2c. *Veterinary Microbiology*. 2012;155(1):1–12. doi:10.1016/j.vetmic.2011.09.007.
- Day MJ. Small animal vaccination: Current issues and perspectives. *Veterinary Microbiology*. 2006;117(1):2–8. doi:10.1016/j.vetmic.2006.04.003.
- Moore GE, Gupitill LF, Ward MP, et al. Adverse events diagnosed within three days of vaccine administration in dogs. *Journal of the American Veterinary Medical Association*. 2005;227(7):1102–1108. doi:10.2460/javma.2005.227.1102.
- Moore GE, DeSantis-Kerr AC. Microchip identification and vaccination of dogs and cats. *Veterinary Clinics of North America: Small Animal Practice*. 2006;36(6):1273–1284.
- World Health Organization. Rabies. WHO Fact Sheet. Geneva: World Health Organization; 2024.
- World Organisation for Animal Health. Rabies. Paris: WOAH.
- World Small Animal Veterinary Association. Guidelines for the Vaccination of Dogs and Cats. WSAVA Vaccination Guidelines Group.