

Zero Waste, Max Profit: Rice–Poultry–Fish Integrated Farming System

*Dr. Thadaveni Anitha

Assistant Professor, Department of Animal Husbandry, Kaveri University, Gowraram, Siddipet, Telangana 502279

*Email: anithathadaveni25@gmail.com

DOI:10.5281/Vettoday.18099619

Introduction

Modern agriculture is facing serious challenges such as increasing production costs, excessive dependence on chemical inputs, and declining soil and environmental health. In this context, Integrated Farming Systems (IFS) offer a practical solution by combining different farm enterprises in a mutually supportive manner. Instead of allowing farm wastes to go unused, IFS converts them into valuable resources. The Rice–Poultry–Fish integrated farming system is a well-known example of a zero-waste agricultural model, where crop production, fish culture, and poultry rearing function together as a single biological unit. Each component supports the others through natural nutrient recycling and ecological interactions. This system not only improves productivity and profitability but also ensures food, nutritional, and livelihood security for farm families, particularly small and marginal farmers.



Source: Integrated farming system structure of Annamalai Rice + Fish + Poultry in rice fields

Principle of Integration and Nutrient Recycling

The success of the Rice–Poultry–Fish system lies in its ability to create a closed nutrient cycle within the farm. Unlike conventional farming, where enterprises are managed separately, this system links rice fields, fish ponds, and poultry units so that the output of one becomes the input for another (FAO 2014). Poultry manure, which is often considered a waste, plays a crucial role in this

integration. Rich in nutrients such as nitrogen and phosphorus, poultry droppings enter the rice field or fish pond either directly or through runoff. These nutrients fertilize the rice crop and stimulate the growth of plankton, which forms the natural food base for fish (Halwart&Gupta,2004).

Role of Rice Fields in Supporting Fish

Rice fields provide an ideal environment for fish culture. Shallow standing

water, soft soil, and abundant natural food organisms make rice fields suitable habitats for hardy fish species. Fish take shelter among rice plants and feed on insects, larvae, and other pests that damage the rice crop. As a result, pest populations are naturally suppressed without the need for chemical pesticides (Halwart & Gupta, 2004). In addition, fish movement within the field disturbs the soil surface, helping to control weeds and improve soil aeration. This activity enhances nutrient availability to rice roots and promotes healthier crop growth.

Contribution of Fish to Rice Productivity

Fish contribute to rice production not only through pest control but also through nutrient enrichment. Fish excreta add organic matter and nutrients to the soil and water, improving soil fertility over time. Continuous soil stirring by fish increases oxygen diffusion and improves microbial activity, which further supports nutrient uptake by rice plants. (Jayanthi *et al.*, 2019). Thus, fish act as both biological pest managers and natural soil conditioners within the integrated system.

Technical Requirements for Effective Implementation

Successful adoption of the Rice–Poultry–Fish system requires careful planning and appropriate component selection. Rice varieties used in this system should be tolerant to temporary flooding and possess strong stems. Deep-water or semi-deep-water rice varieties are generally preferred, as they perform well under fluctuating water levels. Fish species selected should be hardy and capable of surviving in shallow water with low dissolved oxygen. Species such as tilapia, common carp, and catfish are commonly recommended due to their adaptability and efficient utilization of natural food resources. Poultry units may consist of either broilers or layers. Poultry sheds are usually constructed on raised platforms over ponds or along field bunds so that droppings can enter the system easily. Proper housing and protection from predators are essential for maintaining bird health and productivity. A refuge trench or

pond, covering about 10% of the field area, is an important structural feature. This refuge provides a safe place for fish during periods of low water level or unfavourable field conditions. (Halwart & Gupta, 2004)

Economic and Environmental Benefits

One of the major advantages of the Rice–Poultry–Fish system is the generation of multiple sources of income from a single piece of land. Farmers harvest rice, fish, eggs, and poultry meat, which reduces income risk and improves overall farm profitability. The system significantly reduces the need for chemical fertilizers, often by 25–50%, due to the recycling of poultry manure and fish waste. Pesticide use is also minimized because fish control insect pests naturally. These reductions lower production costs and minimize environmental pollution. From a nutritional perspective, the availability of fish, eggs, and poultry meat ensures a regular supply of high-quality protein for farm households, contributing to better health and food security. (Singh *et al.*, 2017)

Challenges and Limitations

Despite its many advantages, the system is not without challenges. Adequate water availability is essential for maintaining rice and fish components. Initial investment is required for constructing poultry sheds and refuge ponds. Additionally, fish and poultry may be vulnerable to predators such as birds and snakes, making proper fencing and management necessary. (Singh *et al.*, 2017)

Conclusion

The Rice–Poultry–Fish integrated farming system is a sustainable and eco-friendly approach that transforms farm waste into valuable resources. By promoting nutrient recycling, biological pest control, and diversified production, this system enhances farm income while reducing dependence on external inputs. Although certain management challenges exist, the long-term economic, environmental, and nutritional benefits far outweigh the limitations. With proper planning and extension support, this integrated model

can play a key role in promoting sustainable agriculture and improving the livelihoods of small and marginal farmers.

References

1. FAO. (2014). *Integrated crop–livestock–fish farming systems*. Food and Agriculture Organization of the United Nations.
2. Halwart, M., & Gupta, M. V. (2004). *Culture of fish in rice fields*. Food and Agriculture Organization of the United Nations; WorldFish Center.
3. Jayanthi, C., Balusamy, M., & Chinnusamy, C. (2019). Integrated farming systems for enhancing farm income and livelihood security. *Indian Journal of Agronomy*, 64(2), 137–145.
4. Singh, K., Bohra, J. S., & Singh, Y. (2017). Integrated farming system: A sustainable approach for Indian agriculture. *Agricultural Reviews*, 38(4), 297–306.